

# DIGITAL ORDER FORM

## QUICKRELEASE KERRISON RONGEUR

YOU MUST DOWNLOAD THIS FILE TO COMPLETE



### 1. COMPLETE THE INFORMATION BELOW:

Account Name \_\_\_\_\_ Contact Name \_\_\_\_\_

Customer Acct. Number (STERIS IMS) \_\_\_\_\_ Phone Number \_\_\_\_\_

Fax Number \_\_\_\_\_ Email Address \_\_\_\_\_

PO# \_\_\_\_\_ Shipping Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_


#### AVAILABLE OPTIONS:

- Bayonet
- Curved (up, left, and right)
- Additional Lengths
- Half sizes
- Stainless steel




### 2. TYPE THE QUANTITY IN THE SPACES PROVIDED:


#### QR (V-COAT) THIN FOOTPLATE | 40 DEGREE UP | 12 MM BITE | 7 IN (18 CM):

 QR (V-Coat) 12mm		<b>1MM</b>	<b>2MM</b>	<b>3MM</b>	<b>4MM</b>	<b>5MM</b>	<b>6MM</b>
	7 in (18 cm)	PR.VK-J701QR	PR.VK-J702QR	PR.VK-J703QR	PR.VK-J704QR	PR.VK-J705QR	PR.VK-J706QR
	<b>QTY</b>						

#### QR (V-COAT) THIN FOOTPLATE | 40 DEGREE UP | 12 MM BITE | 8 IN (20 CM):


 QR (V-Coat) 12mm		<b>1MM</b>	<b>2MM</b>	<b>3MM</b>	<b>4MM</b>	<b>5MM</b>	<b>6MM</b>
	8 in (20 cm)	PR.VK-J801QR	PR.VK-J802QR	PR.VK-J803QR	PR.VK-J804QR	PR.VK-J805QR	PR.VK-J806QR
	<b>QTY</b>						

#### QRS (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 16 MM BITE | 8 IN (20 CM):


 QRS (V-Coat) 16mm		<b>1MM</b>	<b>2MM</b>	<b>3MM</b>	<b>4MM</b>	<b>5MM</b>	<b>6MM</b>
	8 in (20 cm)	PR.VK-J801QRS	PR.VK-J802QRS	PR.VK-J803QRS	PR.VK-J804QRS	PR.VK-J805QRS	PR.VK-J806QRS
	<b>QTY</b>						

CONTINUE THROUGH THE NEXT PAGES, ENTERING QUANTITY. SEND FORM TO [IMS\\_PRODUCTQUOTES@STERIS.COM](mailto:IMS_PRODUCTQUOTES@STERIS.COM).


**CT (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 12 MM BITE | 7 IN (18 CM)**

 CT 12mm	1MM		2MM		3MM		4MM		5MM		6MM	
	7 in (18 cm)	PR.VK-J701CT	PR.VK-J702CT	PR.VK-J703CT	PR.VK-J704CT	PR.VK-J705CT	PR.VK-J706CT					
	<b>QTY</b>											


**CT (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 12 MM BITE | 8 IN (20 CM)**

 CT 12mm	1MM		2MM		3MM		4MM		5MM		6MM	
	8 in (20 cm)	PR.VK-J801CT	PR.VK-J802CT	PR.VK-J803CT	PR.VK-J804CT	PR.VK-J805CT	PR.VK-J806CT					
	<b>QTY</b>											

**CTS (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 16 MM BITE | 7 IN (18 CM)**

 CTS 16mm	1MM		2MM		3MM		4MM		5MM		6MM	
	7 in (18 cm)	PR.VK-J701CTS	PR.VK-J702CTS	PR.VK-J703CTS	PR.VK-J704CTS	PR.VK-J705CTS	PR.VK-J706CTS					
	<b>QTY</b>											

**CTS (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 16 MM BITE | 8 IN (20 CM)**

 CTS 16mm	1MM		2MM		3MM		4MM		5MM		6MM	
	8 in (20 cm)	PR.VK-J801CTS	PR.VK-J802CTS	PR.VK-J803CTS	PR.VK-J804CTS	PR.VK-J805CTS	PR.VK-J806CTS					
	<b>QTY</b>											

**QUICKRELEASE BAYONET KERRISON RONGEUR**



**CTBC (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 12 MM BITE | 9 IN (23 CM) 6 IN WORKING LENGTH:**

		1MM		2MM		3MM		4MM		5MM		6MM	
9 in	PR.VK-J901CTBC	PR.VK-J902CTBC	PR.VK-J903CTBC	PR.VK-J904CTBC	PR.VK-J905CTBC	PR.VK-J906CTBC							
<b>QTY</b>													

**CTBC (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 12 MM BIT | 10 IN (25 CM) 7 IN WORKING LENGTH:**

		1MM		2MM		3MM		4MM		5MM		6MM	
10 in	PR.VK-J1001CTBC	PR.VK-J1002CTBC	PR.VK-J1003CTBC	PR.VK-J1004CTBC	PR.VK-J1005CTBC	PR.VK-J1006CTBC							
<b>QTY</b>													

CONTINUE THROUGH THE NEXT PAGES, ENTERING QUANTITY. SEND FORM TO [IMS\\_PRODUCTQUOTES@STERIS.COM](mailto:IMS_PRODUCTQUOTES@STERIS.COM).


**QRBC (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 12 MM BITE | 9 IN (23 CM) 6 IN WORKING LENGTH:**

	1MM	2MM	3MM	4MM	5MM	6MM
9 in	PR.VK-J901QRBC	PR.VK-J902QRBC	PR.VK-J903QRBC	PR.VK-J904QRBC	PR.VK-J905QRBC	PR.VK-J906QRBC
QTY						

**QRBC (V-COAT) - THIN FOOTPLATE | 40 DEGREE UP | 12 MM BIT | 10 IN (25 CM) 7 IN WORKING LENGTH:**

	1MM	2MM	3MM	4MM	5MM	6MM
10 in	PR.VK-J1001QRBC	PR.VK-J1002QRBC	PR.VK-J1003QRBC	PR.VK-J1004QRBC	PR.VK-J1005QRBC	PR.VK-J1006QRBC
QTY						

## CONTAINERS

	PR.VK-1500 Holds 8 Kerrisons up to 9 inches	PR.VK-1600 Holds 8 Kerrisons over to 9 inches	PR.VK-1505 Holds 5 Kerrisons up to 9 inches	PR.VK-1605 Holds 5 Kerrisons over to 9 inches
QTY				

### TOTAL ITEMS REQUESTED:



Please email your form to:  
[ims\\_productquotes@steris.com](mailto:ims_productquotes@steris.com)

COMMENTS: